

Homework 3 solutions

1. CSTR, no decay, $r_x = \mu X_B$
mb cells, $X_0 = 0$

$$QX_B = V r_g = \mu X_B V$$

$$\frac{1}{D} = \mu = \frac{\hat{\mu} S_s}{K_s + S_s}$$

$$K_s + S_s = D \hat{\mu} S_s$$

$$S_s (\hat{\mu} D + 1) = K_s$$

$$S_s = \frac{K_s}{\hat{\mu} D - 1}$$

$$S_s = \frac{K_s (1 + bD)}{\hat{\mu} D - (1 + bD)}$$

@ D_{min} , $S_s \rightarrow S_{s0}$

$$S_{s0} = \frac{K_s}{\hat{\mu} D_{min} - 1}$$

$$\hat{\mu} D_{min} - 1 = \frac{K_s}{S_{s0}}$$

$$D_{min} = \frac{1}{\hat{\mu} \left(\frac{K_s}{S_{s0}} + 1 \right)} = \frac{K_s + S_{s0}}{\hat{\mu} S_{s0}} = \frac{50 + 250}{2(250)}$$

a) $D_{min} = 0.6 \text{ days @ washout}$

b) $S_s = 0.1 S_{s0} = 25 \text{ mg/L}$

$$D = \frac{K_s + S_s}{\hat{\mu} S_s} = \frac{50 + 25}{2(25)} = 1.5 \text{ d}$$

$$V = QD = 10^4 \text{ m}^3/\text{d} (1.5 \text{ d}) = 15,000 \text{ m}^3$$

1. C, mass balance S

$$S_{s0} - S_s + D V_s = 0$$

$$-V_s = \left(\frac{S_{s0} - S_s}{\tau} = + \frac{\mu X_B}{Y} \right)$$

$$\mu = \frac{1}{\tau}$$

$$X_B = \frac{Y(S_{s0} - S_s)}{\mu \tau}$$

$$X_B = Y(S_{s0} - S_s) = (250 - 25) \frac{0.6}{1} = 135 \frac{\text{mg COD}}{\text{L}}$$

$$\text{AND } X_B' = 135 \frac{\text{mg COD}}{\text{L}} \frac{1 \text{ g cells}}{1.42 \text{ g COD}} = 95 \frac{\text{mg cells}}{\text{L}}$$

d. PFR

$$\frac{dS}{dt} = V_s = -\frac{\mu X}{Y} \left(\frac{S_s}{K_s + S_s} \right)$$

$$\int_{S_{s0}}^{S_s} \left(\frac{K_s}{S_s} + 1 \right) dS = -\frac{\mu X}{Y} \int_0^{\tau} d\tau$$

$$K_s \ln S_s + S_s \Big|_{S_{s0}}^{S_s} = -\frac{\mu X \tau}{Y}$$

$$K_s \ln \frac{S_s}{S_{s0}} + S_s - S_{s0} = -\frac{\mu X \tau}{Y}$$

$$\tau = \frac{Y}{\mu X} \left[K_s \ln \left(\frac{S_{s0}}{S_s} \right) + (S_{s0} - S_s) \right]$$

$$0 = \frac{Y}{\mu X} \left(\right) - \tau$$

CVEN 5534 Assignment 3 solution

Problem 1d. PFR with Monod kinetics compared with CSTR


τ (d-1)	$S_s(\text{CSTR})$ mg/l COD	$S_s(\text{PFR})$ mg/l COD		
0	CSTR	PFR		
0.2	250	195.6	4.6687E-05	
0.4	250	144.2	6.6925E-06	
0.6	250.0	97.2	0.00014206	
0.8	83.3	57.0	0.00059994	
1	50.0	27.3	0.00070216	
1.02	48.1	25.0	0.00048448	
1.1	41.7	17.2	5.0881E-05	
1.2	35.7	10.2	8.8179E-05	
1.4	27.8	3.1	0.00066243	
1.5	25.0	1.6	0.00052043	
1.6	22.7	0.8	0.00055712	
1.8	19.2	0.2	-0.0005136	
2	-16.7	0.1	-0.0002967	

d. tau for 90% COD removal in ideal PFR = 1.02d.

VPFR = $10,000 \text{ m}^3/\text{d} \times 1.02 \text{ d} = 10,200 \text{ m}^3$

VCSTR for 90% removal = 15,000 m³, 50% larger than PFR

2.



Problem 2
Influent COD = 300 mg/l

$r_s = -k \cdot S, k = 5 \text{ d}^{-1}$

Values for τ

COD (day)	Removal	CSTR	2-tank cascade	4-tank cascade	PFR
0.85	0.85	1.13	0.32	0.12	0.38
0.99	0.99	19.80	1.8	0.43	1.73
			3.60		0.92

formulas


CSTR and Cascade

$n\tau = (n/k) \left(\frac{S_0}{S} \right)^n \left(\frac{1}{n} - 1 \right)$

$n = 1, 2, \text{ and } 4$

PFR

$\tau = -(1/k) \cdot \ln(S/S_0)$



$\frac{dS}{dt} = -kS$
 $\frac{dS}{S} = -k dt$
 $\ln \frac{S}{S_0} = -kt$

$C_n = \frac{C_0}{(1 + k\tau)^n}$
 $C_0 = C_n (1 + k\tau)^n$

3. mononalls, X stat

$$-Q_W X + V r_g = 0$$

$$r_g = (\mu - b) X$$

$$Q_W = V(\mu - b)$$

$$\frac{1}{\theta} = \mu - b = \frac{\hat{\mu} S_S}{K_S + S_S} - b$$

$$\frac{\hat{\mu} S_S}{K_S + S_S} = \left(\frac{1}{\theta} + b \right) = \left(\frac{1 + b\theta}{\theta} \right)$$

$$\theta \hat{\mu} S_S = (K_S + S_S)(1 + b\theta)$$

$$S_S (\theta \hat{\mu} - (1 + b\theta)) = K_S (1 + b\theta)$$

$$S_S = \frac{K_S (1 + b\theta)}{(\theta \hat{\mu} - (1 + b\theta))} \quad (1)$$

ii mb on COD-S



$$Q S_{S0} - (Q - Q_W) S_S - Q_W S_S + V r_S = 0$$

$$Q (S_{S0} - S_S) + V r_S = 0$$

$$-r_S = \frac{S_{S0} - S_S}{\theta} = \frac{\mu X}{Y}$$

$$X = Y \frac{(S_{S0} - S_S)}{\frac{\mu}{\theta}} \quad , \quad \mu = \frac{1}{\theta} + b$$

$$X = Y \frac{(S_{S0} - S_S)}{\frac{\mu}{\theta} (1 + b\theta)} = \left(\frac{\theta}{1 + b\theta} \right) Y \frac{(S_{S0} - S_S)}{(1 + b\theta)}$$

$$b. Q_W = 300 \text{ m}^3/\text{d}$$

$$\text{from (i)} \quad 25 = \frac{50(1 + 0.1\theta)}{(2\theta - (1 + 0.1\theta))}$$

$$\theta \hat{\mu} - (1 + b\theta) = \frac{K_s}{S_s} (1 + b\theta)$$

$$\theta \hat{\mu} - b\theta - \left(\frac{K_s}{S_s}\right)b\theta = \frac{K_s}{S_s} + 1$$

$$\theta \left(\hat{\mu} - b - \frac{K_s b}{S_s} \right) = \frac{K_s + S_s}{S_s}$$

$$\theta = \frac{K_s + S_s}{S_s \left(\hat{\mu} - b \left(1 + \frac{K_s}{S_s} \right) \right)}$$

$$\theta (S_s = 25) = \frac{50 + 25}{25 \left(2 - 0.1 \left(\frac{50 + 25}{25} \right) \right)}$$

$$\theta = 1.76 \text{ d}$$

$$V = Q_W \theta = 300 \frac{\text{m}^3}{\text{d}} (1.76 \text{ d}) = 528 \text{ m}^3$$

$$T = \frac{528 \text{ m}^3}{10^4 \text{ m}^3/\text{d}} = 0.053 \text{ d or } 1.3 \text{ hours}$$

$$X = \frac{0.6(250 - 25)}{(1 + 0.1(1.76))} \left(\frac{1.76}{0.053} \right) = 3800 \frac{\text{mg COD}}{\text{L}} \\ = 2700 \frac{\text{mg VSS}}{\text{L}}$$

c.

CSTR
no recycle

$$V(90\%)$$

$$(m^3)$$

$$15,000$$

$$X(90\%)$$

$$(mg/L)$$

$$95$$

$$X(90\%)$$

$$mg/L\ COD$$

$$135$$

CSTR
recycle

$$528$$

$$2700$$

$$3800$$

$$\frac{V_{recycle}}{V_{norecycle}} = 0.035$$

$$\frac{X_{recycle}}{X_{norecycle}} = 28.57$$